


Door Types and Cutsheet

www.nxtwall.com

Sliding Doors, Swing Doors, Door Specifications




SLIDING DOORS








Door Options & Specifications









Door Options & Specifications




FRAMELESS GLASS




SOLID CORE WOOD




SOLID CORE w/ QUARTER LITE



SOLID CORE w/ HALF LITE



SOLID CORE w/ FULL LITE



ALUMINUM FRAMED w/ FULL LITE

SPECIFICATIONS



Door Options & Specifications

Door Types:

- Frameless Glass
- Solid Core Wood
- Solid Core with Quarter Lite
- Solid Core with Half Lite
- Solid Core with Full Lite
- Aluminum Framed with Full Lite

Maximum Door Height:

- 10' (Flex Series)
- 10' (View Series)

(Any Height Sliding or Swing - Flex Series)
(Full Height Sliding or Swing Only - View Series)

Standard Width:

- 42" Wide door (sliding)
- 35-3/4" door (swing)
- 38" Rough Opening

(Custom Widths Available by Request)

Door Thickness:

- 3/8" (frameless glass)
- 1- 3/4" (others)

Glazing Options:

- 3/8" Thick (standard frameless)
- 1/4" Thick Inserts (single or double pane
- 3/8" Thick Inserts (single pane only)
- Clear Tempered
- 1/2" Thick (View Series only, above 9' ceiling height)

Door Finishes:

- MS Silver Powdercoat (standard)
- Custom Powdercoat
- Clear Anodized
- Architectural Grade Veneers
- Wilson Art Laminates

Door Hardware:

- Non-Locking Ladder Pulls:
 15-3/4", 24", 36", 48", 60" (standards)
- Locking Ladder Pulls: 48". 60"
- Locking Leverset (swing)
- Numerous Other Hardware Available

Door Hinges

- NxtWall Hinges 1-3/4" Thick Doors Only
- Flexa 8810 (Frameless Glass Doors Only)
- Biloba Hydraulic Self Closing (Frameless Glass Doors Only)
- Numerous Other Hardware Available

Door Hardware Finishes:

- Brushed Stainless Steel (standard)
- Black Matte

Door Options:

- Options for Security, Privacy, and Accessibility
- Single or Double Door Options
- Soft Open and Close Options